
Technical Contacts

Dave Horner

(519) 837-5662 ext.2351
Supervisor of Technical Services
Dave.Horner@riverrun.ca

Anthony Brown

(519) 837-5662 ext.2494
Lead Technician – Lighting & Rigging
Anthony.Brown@riverrun.ca

Chris Stoeckle

(519) 837-5662 ext.2201
House Technician – Stage Carpentry
Chris.Stoeckle@riverrun.ca

Wayne Nero

(519) 837-5662 ext.2203
House Technician – Audio
Wayne.Nero@riverrun.ca

Tom Andrews

(519) 837-5662 ext.2204
House Technician – AV
Tom.Andrews@riverrun.ca

Seating Capacity

Orchestra Lift:	60*
Main Orchestra:	340
Terrace:	179
Balcony:	158
Boxes:	<u>48</u>
TOTAL	785

* The orchestra lift can also play either at stage level or function as an orchestra pit upon request. Additional labour charges will apply.

Stage

Stage Dimensions

- Proscenium Opening
- 40' – 62' (adjustable) wide x 29.6' high
- Stage Width – wall to wall
- 94'
- Apron (curved front)
- 52'W x 12'D
- Orchestra Pit
- 52'-6" x 11'-9"
- Setting Line to Traveller
- 31' – 5"
- Setting Line to Cyclorama
- 38'
- Setting Line to last lineset
- 41' – 7"
- Stage Floor to Grid
- 68' – 11"

Stage Floor

The stage floor is constructed of maple, painted black, and sprung.

Fly System

- Single purchase manual fly system
- Total of 53 linesets with a safe working load of 1200lbs per set
- 26 available linesets when house basic is in place
- Operation gallery is elevated on stage left
- Dual level loading floors
- Brick weights are 44lbs; 22lbs; and limited number of weights at 11lbs
- (1) weight mover with a total capacity of (20) 44lb bricks
- Note: lineset #53 is 10' short on the stage left side

This document is available in alternate formats upon request.

Chain Motors

- (4) 1 – one ton chain motors with 50' chain
**Please call for availability*
- (1) permanent half ton chain motor located in the FOH catwalk next to the followspot booth

Rigging Accessories

There are span sets, wire rope, and flying hardware available for use. Please contact the Supervisor of Technical Services for specifics and availability.

Stage Draperies

- Legs – (2) pairs @ 20' x 32'; (5) pairs @ 12' x 32'
- Borders – (1) @ 75' x 20'; (1) @ 70' x 16'; (5) @ 70' x 12'
- Main Curtain – purple velour, operates manually as a guillotine from the fly gallery
- Traveller – black velour, can be opened from stage right at stage level or flown
- (1) black sharkstooth scrim @ 69' x 30'
- Cyclorama – white muslin @ 69' x 30'

Orchestra Shell

River Run Centre has a **Wenger Diva Acoustical Concert Shell System** consisting of 12 wall panels, and 4 ceiling panels. Full shell dimensions are approximately 62'W x 46'D. The shell can be tailored for different uses. Please call the Supervisor of Technical Services for more information.

Pianos

- (1) 9' Steinway Grand - glossy black finish
- (1) Wurlitzer Upright - glossy black finish

All piano tuning must be arranged by the River Run Centre. Please contact the Supervisor of Technical Services if you would like to schedule a tuning or enquire about current rates.

Risers and Accessories

- (28) 4' x 8' Wenger versatile staging platforms (each requires 6 legs)
- (108) 8" legs – 18 risers
- (72) 16" legs – 12 risers
- (26) 24" legs – 21 risers
- (38) 32" legs – 6 risers
- Skirting for 8" and 16" leg heights
- Caster set to create an 8'x8'x16" rolling riser
- (6) 8' safety rails; (6) 4' safety rails
- (4) 16" stair units; (2) 24" stair units
- (1) Acrylic Lectern with microphones

Manlifts

- (1) Skyjack Model 6832 drivable scissor lift - 750lb capacity
- (1) Skyjack Model SJPT 25 single person lift - 300 lb capacity
- (1) JLG Model CM2033 drivable scissor lift - 750lb capacity

Only qualified personnel possessing valid proof of training will be permitted to operate lifts.

Facility

Loading Docks

There are two loading docks located at the rear of the building. Each door is 94 1/2"x 106" and is equipped with a hydraulic leveller. The loading dock doors are approximately 50 ft in a straight line to the main stage. Loading dock levellers will only facilitate trucks with a minimum deck height of 36".

Parking

Clients renting the main stage are entitled to two parking passes for temporary parking at River Run Centre (including any production vehicles). Additional parking can be found in parkades directly across the street, or at meters in front of the Centre.



River Run Centre

Dressing Rooms and Green Room

- (3) Large dressing rooms – includes makeup positions; costume racks
- (3) Small dressing rooms – includes makeup positions; washroom; shower

The Green Room is equipped with comfortable furniture, dishes, coffee maker, sink, microwave, mini fridge, and phone capable of making internal and local calls.

Please note that when both performance spaces are in use that the main stage uses (2) large and (2) small dressing rooms and the Green Room is a shared space.

Washrooms

There are accessible women's and men's washrooms with shower facilities located in the dressing room hallway. There is an additional accessible washroom located behind the backstage desk.

Wardrobe Room

This room is equipped with a light duty industrial washer and dryer. There is also an ironing board, iron, and steamer provided. Visiting companies are asked to provide their own laundry detergent and other supplies.

Carpentry Shop

The shop is well equipped and available for the repair/build of small items only. Please note that a qualified River Run Technician must be present when the shop is in use.

Cable Pass Through

River Run Centre has many cable pass' and raceways throughout the building. Contact the Supervisor of Technical Services for a complete plan.

Electrics

Available Touring Power

Loading Dock	120/208 3 phase 200A disconnect
Stage Right	120/208 3 phase 400A disconnect
Stage Left	120/208 3 phase 200A disconnect
Canada Company Hall	120/208 3 phase 200A disconnect
Stage Right Operating Gallery	(2) 120/208 3 phase 400A disconnect

All panels except the ones located on the stage right operating gallery are fitted with E1016 series CAM-LOK connectors with ground and neutral connections reversed.

The panels located on the stage right operating gallery require an electrical tie in.

Please note that any electrical equipment that is brought to River Run Centre must have an accepted certification mark recognized in the Province of Ontario.

Before access to the above panels is permitted a wiring notification (permit) must be obtained through the Electrical Safety Authority of Ontario. Please contact the Supervisor of Technical Services for more information.



River Run Centre

House Lighting Plot

River Run Centre is equipped with an extensive house lighting plot. Please contact the Supervisor of Technical Services for copies.

House Lighting Plot Fixture Inventory

Ellipsoidals

- (34) ETC S4 36 deg
- (24) ETC S4 26 deg
- (9) ETC S4 10 deg
- (12) Strand SL 23-50 zoom
- (48) Strand SL 15-32 zoom
- (3) Strand SL 10 deg
- (6) Strand SL 5 deg

Wash Fixtures

- (30) S4 Par
- (32) Strand 2k Fresnel – (9) are fitted with Wybron CXI colour mixing scrollers

Cyc Lights

- (8) Strand Iris 3 – coloured in standard RGB

Followspots

- (2) Lycian Superstar 1.2k HMI – permanently located in dedicated FOH booth

Additional Fixture Inventory

Please note that all additional inventory is shared with the Centre's three spaces. Please call the Supervisor of Technical Services for availability.

Ellipsoidals

- (7) ETC S4 26 deg
- (10) ETC S4 19 deg
- (2) ETC S4 25-50 deg zoom
- (12) Strand SL 23-50 zoom
- (3) Strand SL 15-32 zoom

Wash Fixtures

- (8) ETC S4 Par @ 575w
- (2) bars of six ETC S4 Par @ 575w
- (8) Strand 1k Fresnel

Cyc Lights

- (24) Strand Orion 1 single cell ground row units

Automated Lighting

- (6) MAC 575 Krypton moving head spot luminaire
- (4) SGM 1200 moving head wash luminaire

Lighting Control

(1) Strand 550i located in the lighting booth at the rear of the orchestra level. Alternative positions are mid-house (next to Audio); stage right; and stage left. There are wired handheld remotes in the FOH catwalk and down stage right. **House lights** are controlled via a Strand outlook system. Control pendants are located in the lighting booth, and down stage right.

Dimmers / Circuits

- (520) 2.4k Strand CD80 dimmers (Main Stage is dimmer per circuit)
- All plugs are wired 20A new style twist lock
- Stage pin FOH transfer panel available on stage right operating gallery. *Please call the Supervisor of Technical Services if interested in using this item.*

Colour Media and Gobos

Gel and gobo inventory is constantly changing. River Run Centre primarily stocks ROSCO colour. Please contact the Supervisor of Technical Services to check availability. Any additional gel and/or gobos that must be purchased for clients will be charged back at applicable rates.

Accessories

- (1) MDG Atmosphere Hazer
- (1) F100 Fog Machine
- (1) F100 Liquid CO2 low lying fog chiller
- (2) Rosco gobo rotators

Audio Equipment

Front of House Console

- MIDAS XL464 – mid-house location
- (48) inputs, (8) stereo inputs (64 total), (16) groups, (10) VCA's, (8) matrix outs
- All inserts are Bantam in, Bantam out

Front of House Drive Rack

- (3) Klark Teknik DN 360 Stereo EQ
- (1) Denon Double CD with pitch control

Front of House Effects Rack

- (1) TC Electronic M3000
- (1) TC Electronic M2000
- (1) TC Electronic D2
- (1) Yamaha SPX 990
- (2) Klark Teknik DN-504 Mk2 Quad Compressors
- (2) Klark Teknik DN-514 Mk2 Quad Gates
- (2) Behringer MDX 4400 Quad Compressors
- (2) XR 4400 Quad Gates

Booth Console

- Yamaha O1V – (12) mic inputs, (2) stereo line in, (4) Aux sends (2) stereo out
- Location – main control room

Front of House Processing and Amplification

- (4) Klark Teknik DN8000
- (9) EV P3000
- (2) EV P1200
- (1) EV P900

Speaker System

Mains

- (3) EV X-Array 1183 per side
- (2) EV X-Array 2181a (2x18") per side
- (2) EV X-Array 1152 – flown centre cluster
- (3) EV X-Array CS52 – under balcony fill
- (3) Meyer UPM – front fill

* *Some speaker locations are permanent*

Monitor System

Console

- MIDAS Legend 3000 – 48 Mono inputs, 4 stereo, 14 Aux

Speakers, Processing, and Amplification

- (2) EV X-Array 1152 bi-amp
- (13) EV X-Array XW12 bi-amp
- (6) EV DX38 digital processors
- (6) EV P1200 amplifiers
- (6) EV P3000 amplifiers
- (6) Klark Teknik DN 360 dual 31 band EQ's

* *Monitor System is shared between all venues at River Run. Please call for availability*

Microphones

Main Stage

- (8) Shure Beta 58A
- (1) Shure Beta 52
- (1) Shure Beta 87A
- (1) Shure Beta 91
- (6) Shure Beta 98
- (2) AKG 414 XLII
- (4) AKG 414 XLS
- (4) Shure SM57
- (2) Shure SM58 with switch
- (6) Shure SM81
- (3) AKG CK91
- (2) RHODE NT1A
- (2) RHODE NT2
- (4) Sennheiser MD421
- (2) Sennheiser E906
- (9) BSS Active DI
- (2) JDI Stereo Direct Box
- (2) JDI Passive DI
- (3) Crown PCC

Wireless Microphones

- (20) Shure UHF JH
- (20) Bodypack with Lav Mic
- (8) Handheld with Beta 58A cap or Beta 87A cap

Video Equipment

Projection Screens

- (1) 9' x 12' Fastfold with front and rear skins
- (1) 8' x 8' Tripod front projection screen
- (1) 4' x 6' Tripod front projection screen

Projection & Switching

- (1) Christie HD8K 8000 Ansi Lumen projector
- (1) Sony 2000 Ansi Lumen projector
- (1) Analog Way Octo-Plus 8 channel XCA switcher/scaler
- (1) 3-Preview monitor rack mount module

Playback

- (2) HHB Pro DVD Player
- (2) Sony BDP5360 Blu-Ray Disc Player

Cameras & Video Capture

- (3) Panasonic Studio Camera Kits
- (1) Mini DV Cam Sony Hard Drive Recorder
- (1) JVC KM-2000 Camera Switcher
- (4) Sony Preview Monitors